



GOVERNMENT OF N.C.T OF DELHI
INDIRA GANDHI HOSPITAL
SECTOR-9, DWARKA, NEW DELHI-110077

राष्ट्रीय राजधानी क्षेत्र दिल्ली सरकार
इंदिरा गाँधी हॉस्पिटल
सेक्टर-०९, द्वारका, नई दिल्ली-११००७७



F.6/2/32/REAGENTS/PAC/24-25/PO-II २९५७

601C
10/3/25

PUBLIC NOTICE

Indira Gandhi Hospital is going to procure consumable items for
MACHINE(Radiometer, ABL 800 flex) on proprietary basis-

ABG

The detail are as under :-

S No.	Description of Item	Unit	Qty. for 6 months + buffer
1	Rinse Solution	600 ml	60 btl (peds-24 + anesthesia-36)
2	Caliberation solution I	200 ml	10 btl (peds-5 + anesthesia-5)
3	Caliberation solution II	200 ml	6 btl (peds-3 + anesthesia-3)
4	Cleaning Solution	175 ml	3 btl(anesthesia-3)
5	PO2 Membrane	Box of 4 membrane	2 box (peds-1 + anesthesia-1)
6	PCO2 Membrane	Box of 4 membrane	2 box (peds-1 + anesthesia-1)
7	Na+ Membrane	Box of 4 membrane	2 box (peds-1 + anesthesia-1)
8	K + Membrane	Box of 4 membrane	2 box (peds-1 + anesthesia-1)
9	Calcium + Membrane	Box of 4 membrane	2 box (peds-1 + anesthesia-1)
10	Cl Membrane	Box of 4 membrane	2 box (peds-1 + anesthesia-1)
11	Reference membrane	Box of 4 membrane	4 box (peds-2 + anesthesia-2)
12	Lactate Membrane	Box of 4 membrane	4 box (peds-2 + anesthesia-2)
13	Glucose Membrane	Box of 4 membrane	4 box(peds-2 + anesthesia-2)
14	THB Ampules	Box of 4 ampule	2 pack (peds-1 + anesthesia-1)
15	Hyphochloride solution	100 ml	2 pack (peds-1 + anesthesia-1)
16	Gas Cylinder I	1 cylinder(34bar)	4 nos (peds-2 + anesthesia-2)
17	Gas Cylinder II	1 cylinder (34bar)	4 nos (peds-2 + anesthesia-2)
18	PMT Kit	each	2 pack(peds-1 + anesthesia-1)

Article Certificate has been submitted by M/S BRISTAL HEALTHCARE stating that the reagents/consumables required for the equipment is proprietary in Nature and no other company/manufacture is making reagents/consumables for this equipment and M/S BRISTAL HEALTHCARE is the authorized seller of the same.

If any agency/manufacture/person has any objection or having similar kinds of products or compatible consumables/reagents, then the same may be intimated/informed to the under signed within 3 days from the issuance of this letter, failing which it will be presumed that any other vendor is having no comment to offer and case will be decided on merits.

 08/3/25 -
Purchase Officer-II

IGH, Dwarka