

44/c

Govt of NCT of Delhi  
Indira Gandhi Hospital  
Sec-9, Dwarka, new delhi-110077

REF. NO. 6/16/171/MISPA I3/PAC/IGH/2022-23/PUR 12610

dated 10/8/23

Public Notice

Sub: Purchase of "**Consumable & Reagents for Mispa i3**". For the Department of Microbiology, at Indira Gandhi hospital Dwarka, New Delhi -110077, on proprietary basis Inviting comments thereon. .

The Hospital is in the process to purchase "**Consumable & Reagents for Mispa i3**" for the Department of Pathology at Indira Gandhi Hospital, New Delhi from M/s. Accute Health Care (P)Ltd- Shop No 19 1st Floor Block, FD (dda market), near Pitam Pura Metro Station No -3 Pitam Pura , Delhi-110034 .The PAC certificates by M/s. M/s Agappe Diagnostic Ltdas well as the user Department are **attached**.

The above documents are being uploaded for information to submit objection, comments, if any, from any manufacturer regarding proprietary nature of the equipment/items within 7 Days from the date of issue/uploading of the notification giving reference No. 6/16/171/MISPA I3/PAC/IGH/2022-23/PUR, The comments should be received in office of Medical Director Indira Gandhi Hospital, Sec. 9 ,Dwarka , New Delhi, before 09-08-2023 up to 12:30 p.m. failing which it will be presumed that any other vendor is having no comment to offer and case will be decided on merits.



Dr Raju Panchala  
Purchase officer-1  
Igh Hospital ,Dwarka Sec -9

GSTIN : 07AAJCA5052G1ZT  
CIN : U33110DL2011PTC219501  
FAN No. : AAJCA5052G

CENTRAL R&I 10321  
DATE 28/7/23  
INDIRA GANDHI HOSPITAL  
(Govt. of NCT of Delhi)  
Sec-9, Dwarka, New Delhi-77



Ref No. AHC/QT/DE/A230728/2023-24  
Dated: 28/07/2023

Medical Director (P.O-1)  
GOVT OF NCT  
Indira Gandhi Hospital  
Sector-9, Dwarka, Delhi-110077

Ref: Order No.GEMC-511687718388602,DATED:15/03/2022

Please find the rates to be quoted for System reagent for Mispa i3 (Poct Analyzer)

• Mispa i3 Reagents

SL NO	Agappe Code	Product Name	Pack Size	Unit Price (Excl. Tax)	GST
1	52014004	ASO 30T	30T	2890	12%
2	52014034	C3 10 T	10 T	1740	12%
3	52014035	C4 10 T	10 T	1770	12%
4	52014007	CRP 30T	30T	2490	12%
5	52014014	Cystatin -C 10 T	10 T	2910	12%
6	52014023	Ferritin 10 T	10 T	2990	12%
7	52014019	HbA1C 30T	30T	5030	12%
8	52014038	hs-CRP 10 T	10 T	1230	12%
9	52014020	IgE 10 T	10 T	2930	12%
10	52014052	IgM 10 T	10 T	1760	12%
11	52014013	Micro Albumin 30T	30T	5180	12%
12	52014010	RF 30T	30T	2860	12%
13	52014050	Mispa i3 Probe Cleaner	10T	490	12%
14	54045001	Mispa i3 Washing Solution	1 x 1000 mL	750	12%
15	52014032	APO - A1 10 T	10 T	2690	12%
16	52014033	APO - B 10 T	10 T	2690	12%
17	52014044	LP (A) 10 T	10 T	3210	12%
18	52014053	IGA 10 T	10 T	2070	12%
19	52014054	IGG 10 T	10 T	2050	12%
20	52014026	D-Dimer 10 T	10 T	3360	12%
21	52014036	Ceruloplasmin 10 T	10 T	2680	12%
22	52014037	Haptoglobin 10T	10T	2440	12%
23	52014055	H. Pylori 10T	10T	4370	12%
24	52014056	Vitamin D 10T	10T	7510	12%

ACCUTE HEALTH CARE (P) LTD.

DEALS IN : DIAGNOSTICS & INSTRUMENTS


Shop No.-19, 1st Floor Block FD (DDA) market, Near Pitampura Metro Station Gate  
No.-3, Pitampura Delhi-110034 Tel. : 011-41648600 E-mail : accute2011@gmail.com



GSTIN : 07AAJCA5052G1ZT

CIN : U33110DL2011PTC219501

FAN No. : AAJCA5052G



25	52014057	CRP 60T	60T	4320	12%
26	52014025	Ferritin 30T	30T	6600	12%
27	52014005	HbA1C 60T	60T	8400	12%
28	52014027	D-Dimer 30 T	30T	6750	12%
29	52014058	Vitamin D 30T	30T	18600	12%
30	52014059	PCT 10T	10T	5500	12%
31	52014060	PCT 30T	30T	13500	12%
SL NO	Agappe Code	Product Name	Pack Size	Unit Price (Excl. Tax)	Gst
1	51612004	Lipid Control (Bi level)	2 x 1 mL	3610	12%
2	51625002	HbA1c Control Level	2 x 0.5 mL	2730	12%
3	51635002	Microalbumin Control (Bi level)	2 x 1 mL	2940	12%
4	51614007	Protein Control (Bi level)	2 x 1 mL	6640	12%
5	51630003	D-Dimer Control (Bi level)	2 x 0.5 mL	7370	12%
6	51634002	Cystatin - C Control (Bi level)	2 x 1 mL	12930	12%
7	51642001	H. Pylori Control (Bi-Level)	2 x 1 mL	4460	12%

• **Consumables**

SL NO	Agappe Code	Product Name	MOQ, Base Unit of Measure	Unit Price (Excl. Tax)	Gst
1	72351098	Silicon Tube 2X5	1 Nos	520	18%
2	73161014	Barcode Reader Power Adapter Cable	1 Nos	4045	18%
3	73161013	Barcode Reader RS232 Cable	1 Nos	2430	18%

**Terms and Condition**

1. All the rates quoted above are Exclusive of GST.(GST may depend upon the Government Notification)
2. The above rates are valid up to 31/03/2025

We assure our best services all the time.

For Accute Healthcare Pvt Ltd



**ACCUTE HEALTH CARE (P) LTD.**

**DEALS IN : DIAGNOSTICS & INSTRUMENTS**

Shop No.-19, 1st Floor Block FD (DDA) market, Near Pitampura Metro Station Gate  
No.-3, Pitampura Delhi-110034 Tel. : 011-41648600 E-mail : accute2011@gmail.com



GSTIN : 07AAJCA5052G1ZT  
CIN : U33110DL2011PTC219501  
PAN No. : AAJCA5052G



Ref No. AHC/QT/DE/A230728-1/2023-24  
Dated: 28/07/2023

Medical Director  
GOVT OF NCT  
Indira Gandhi Hospital  
Sector-9, Dwarka, Delhi-110077  
Ref: Order No.GEMC-511687718388602,DATED:15/03/2022

Sub: Lower Price Certificate

Dear Sir/Madam

We **Accute Healthcare Pvt Ltd** ,hereby declare that the price quoted by us for Indira Gandhi Hospital , New Delhi are valid and binding us for the entire period of contract and it is certified that the rates offered are the lowest quoted for any other Govt Institution /Hospital in India.

We assure our best services all the time.

For Accute Healthcare Pvt Ltd

Authorized Signatory



**ACCUTE HEALTH CARE (P) LTD.**  
**DEALS IN : DIAGNOSTICS & INSTRUMENTS**

Shop No.-19, 1st Floor Block FD (DDA) market, Near Pitampura Metro Station Gate  
No.-3, Pitampura Delhi-110034 Tel. : 011-41648600 E-mail : accute2011@gmail.com

GSTIN : 07AAJCA5052G1ZT  
CIN : U33110DL2011PTC219501  
PAN No. : AAJCA5052G



Ref No. AHC/QT/DE/A230728/2023-24  
Dated: 23/07/2023

Medical Director  
GOVT OF NCT  
Indira Gandhi Hospital  
Sector-9, Dwarka, Delhi-110077

Ref: Order No.GEMC-511687718388602,DATED:15/03/2022

Sub: Statement of Descending Trend in Quoted Rates for Reagents and consumables for Mispa I3

Dear Sir/Madam,

This is to certify that at present there is no change of the price for Barcode reagents and all consumables for Mispa I3. This is also certify that if there is any downward trend in quoted rates of Reagents, the same will be intimated immediately to Medical Director Indira Gandhi Hospital and benefit of this will be passed to Indira Gandhi Hospital with immediate effect.

We assure our best services all the time.

Thanking you

For Accute Healthcare Pvt. Ltd.

  
(Authorized Signatory)

**ACCUTE HEALTH CARE (P) LTD.**  
**DEALS IN : DIAGNOSTICS & INSTRUMENTS**

Shop No.-19, 1st Floor Block FD (DDA) market, Near Pitampura Metro Station Gate  
No.-3, Pitampura Delhi-110034 Tel. : 011-41648600 E-mail : accute2011@gmail.com



ADL/CO/GAM/0564/2023-24  
Date: 24/07/2023

Auth Ltr Valid Up To - 31/03/2025

## AUTHORIZATION LETTER

To,

The Medical Director  
Govt Of NCT  
Indira Gandhi Hospital,  
Sector 9, Dwarka,  
New Delhi, 110077

Sub: Letter of Authorization (For Mispa i3 Reagents)

Dear Sir/Madam,

We Agappe Diagnostics Ltd, who are established and reputed manufacturers of "Diagnostics Reagent" having factory at Agappe Hills, Pattimattom PO, Ernakulam, Kerala 683562 vide Mfg. License No: MFG/IVD/2020/000005 & MFG/IVD/2020/000100 & ISO 9001, ISO 13485 Certified Company do hereby authorize M/s Accute Healthcare (P) Ltd, Shop No. 19, 1st Floor, Block: FD (DDA Market), Near Pitampura Metro Station, Gate No 3, Pitampura, Delhi 110034 as our "AUTHORIZED DISTRIBUTOR" to supply Reagents of Mispa i3 (Cartridge Based Specific Protein Analyser), raise the invoice and collect the payment based on our behalf.

This Certificate is Valid up to 31/03/2025.

Thanking You.  
For Agappe Diagnostics Ltd

Roshin Raj  
Assistant General Manager

## AGAPPE DIAGNOSTICS LTD.

ISO 9001:2015 | EN ISO 13485:2016 CERTIFIED COMPANY | CIN : U24239MH1998PLC115413

CORPORATE OFFICE / REAGENT PLANT  
Agappe Hills, Pattimattom (PO), Dist. Ernakulam, Kerala - 683 562, India.  
Tel: +91 484 286 7000 | Email: agappe@agappe.in

MUMBAI [REGISTERED OFFICE]  
401 & 402, 4<sup>th</sup> Floor, Jaisingh Business Centre, 119,  
Sahar Road, Parsiwada, Andheri (East), Mumbai - 400 099, India.  
Tel: +91 22 4300 8000 | Email: mumbaioffice@agappe.in

EQUIPMENT PLANT  
X/588-CB, Block No. 32, KINFRA Small Industrial Park,  
Nellad, Cochin, Kerala, India - 686 721. Tel: +91 484 276 7477.

DELHI OFFICE  
DSM 540, 5<sup>th</sup> Floor, DLF Tower, Shivaji Marg,  
New Delhi - 110 015, India.  
Tel: +91 11 4558 8416 | Email: delhioffice@agappe.in

KOLKATA OFFICE  
406, Merlin Matrix, Plot No-10, Block-DN, Sector V,  
Salt Lake City, Kolkata - 700 091.  
Tel: +91 33 4003 0451 | Email: kolkattoffice@agappe.in

BANGALORE OFFICE  
S-6, 11<sup>th</sup> Floor, Red Cross Bhavan, No:26 Race Course Road,  
Bangalore - 560 001. Tel: +91 80 2228 8288  
Email: bangaloreoffice@agappe.in



ADL/CO/GAM/0565/2023-24  
Dated: 24/07/2023

## PROPRIETARY LETTER

To,

**The Medical Director**  
Govt Of NCT  
Indira Gandhi Hospital,  
Sector 9, Dwarka,  
New Delhi, 110077

**Sub:** Proprietary Letter

This is to certify that the **Reagents of Mispa i3** (Cartridge Based Specific Protein Analyzer) is the **Proprietary Product** manufactured by our firm **M/s Agappe Diagnostics Ltd.** located at Agappe Diagnostics Ltd., Agappe Hills, Pattimattom P.O, Ernakulam District, Kerala – 683562.

Thanking You.  
**For Agappe Diagnostics Ltd**

**Roshin Raj**  
Assistant General Manager

## AGAPPE DIAGNOSTICS LTD.

ISO 9001:2015 | EN ISO 13485:2016 CERTIFIED COMPANY | CIN : U24239MH1998PLC115413

**CORPORATE OFFICE / REAGENT PLANT**  
Agappe Hills, Pattimattom (PO), Dist. Ernakulam, Kerala - 683 562, India.  
Tel: + 91 484 286 7000 | Email: agappe@agappe.in

**MUMBAI [REGISTERED OFFICE]**  
401 & 402, 4<sup>th</sup> Floor, Jaisingh Business Centre, 119,  
Sahar Road, Parsiwada, Andheri (East), Mumbai - 400 099, India.  
Tel: +91 22 4300 8000 | Email: mumbaioffice@agappe.in

**EQUIPMENT PLANT**  
X/588-CB, Block No. 32, KINFRA Small Industrial Park,  
Nellad, Cochin, Kerala, India - 686 721. Tel: +91 484 276 7477.

**DELHI OFFICE**  
DSM 540, 5<sup>th</sup> Floor, DLF Tower, Shivaji Marg,  
New Delhi - 110 015, India.  
Tel: +91 11 4558 8416 | Email: delhioffice@agappe.in

**KOLKATA OFFICE**  
406, Merlin Matrix, Plot No-10, Block-DN, Sector V,  
Salt Lake City, Kolkata - 700 091.  
Tel: +91 33 4003 0451 | Email: kolkattoffice@agappe.in

**BANGALORE OFFICE**  
S-6, II<sup>nd</sup> Floor, Red Cross Bhavan, No:26 Race Course Road,  
Bangalore - 560 001. Tel: +91 80 2228 8288  
Email: bangaloreoffice@agappe.in